



muse 2.0

MARBLE
COMPACT

COLLECTION CATALOGUE

MARBLE

muse 2.0



unicomstarker®

**Prezioso,
raffinato,
arreda
senza bisogno
d'altro.**

Precious,
elegant,
they will
complete
any room
beautifully.

muse 2.0



nero marquina



grey marble



calacatta gold



statuario



calacatta



reverse

muse 2.0

produzione - production

industriale - industrial

spessore - thickness


9.5 mm - 10 mm

usi - use

interni residenziali, bagni o locali commerciali e spazi pubblici
housing environments, bathrooms or refined commercial locations as well as public spaces.

formati - sizes

60x120 - 60x119,5 - 80x80 - 60x60 - 30x60 - 15x60 - 7,4x30



decori - decoration

mosaico - Hexagon

complementary pieces

battiscopa smaltato



nero marquinia

NERO MARQUINIA
polished 60x120 _ 24"x48"







NERO MARQUINIA
satin 60x60 - 30x60 _ 24"x24" - 12"x24"



NERO MARQUINIA
satin 80x80 _ 32"x32"

12

UNICOMSTARKER
MARBLE



NERO MARQUINIA

polished 30x60 - 15x60 _ 12"x24" - 6"x24"

13

musc 2.0



NERO MARQUINIA

wall polished 30x60 - 15x60 _ 12"x24" - 6"x24"

floor polished 60x120 _ 24"x48"

grey
marble

GREY MARBLE

floor polished 80x80 _ 32"x32"

NERO MARQUINIA

wall polished 60x120 _ 24"x48"



**GREY MARBLE**

floor polished 80x80 _ 32"x32"

wall polished 7,4x30 _ 3"x12"

18

UNICOMSTARKER
MARBLE



GREY MARBLE

floor satin 60x119,5 _ 24"x48"
wall polished 60x119,5 _ 24"x48"
polished Hexagon 30x34 _ 12"x13"

19

muse 2.0



GREY MARBLE
polished 7,4x30 _ 3"x12"

calacatta gold

CALACATTA GOLD

floor polished 60x119,5 _ 24"x48"

wall polished 30x60 _ 12"x24"





**CALACATTA GOLD**

wall polished 60x119,5 _ 24"x48"

floor 60x119,5 _ 24"x48" oXid Iron

**CALACATTA GOLD**

polished 80x80 _ 32"x32"

statuario

STATUARIO

polished hexagon 30x34 _ 12"x13"



**STATUARIO**

floor polished 60x119,5 _ 24"x48"
wall polished 60x119,5 _ 24"x48"

**STATUARIO**

wall/floor polished 60x60 - 30x60 - 15x60 _ 24"x24" - 12"x24" - 6"x24"



STATUARIO
polished 80x80 _ 32"x32"



STATUARIO
polished 80x80 _ 32"x32"

calacatta

CALACATTA

floor polished 60x119,5 _ 24"x48"

wall 60x119,5 _ 24"x48" oXid Titanium





**CALACATTA**

wall polished 60x119,5 _ 24"x48"

floor polished 60x119,5 _ 24"x48"

38

UNICOMSTARKER
MARBLE



CALACATTA

polished 60x119,5 - 7,4x30 _ 24"x48" - 3"x12"

39

musc 2.0



CALACATTA

polished 60x119,5 _ 24"x48"

reverse



REVERSE

floor 60x120 _ 24"x48"





LUX
HOTEL

REVERSE

wall polished 60x120 _ 24"x48"
floor polished 60x120 _ 24"x48"

**REVERSE**

floor polished 80x80 _ 32"x32"

NERO MARQUINIA

wall 30x60 _ 15x60

12"x24" _ 6"x24"

46

UNICOMSTARKER
MARBLE



REVERSE

floor polished 80x80 _ 32"x32"

muse 2.0

nero marquinia



reverse



calacatta gold



grey marble



statuario



calacatta



TECHNICAL INFORMATION & PLUS

SIZES&DECORS

60x119.5 24"x48"	80x80 32"x32"	60x60 24"x24"	30x60 12"x24"	15x60 6"x24"	7.4x30 3"x12"	30x30 12"x12"	30x34 12"x13"								
RETTIFICATO POLISHED SATIN	RETTIFICATO POLISHED SATIN	RETTIFICATO POLISHED SATIN	RETTIFICATO POLISHED SATIN	RETTIFICATO POLISHED SATIN	RETTIFICATO POLISHED SATIN	MOSAICO POLISHED SATIN	HEXAGON POLISHED SATIN								
84	67	82	65	71	56	68	51	83	66	82	65	140	115	40	34

Disponibile nei colori: statuario, calacatta, calacatta gold, grey marble. Questi colori sono combinabili solo ed esclusivamente tra loro. Questi colori non sono combinabili con: **nero marquina, reverse**. Available in the following colours; statuario, calacatta, calacatta gold and grey marble. All the above colours can be used together. These colours cannot be used with nero marquina and reverse.

SPECIAL ITEMS



7x60
3"x24"
BATTISCOPA SMALTATO RETT.
POLISHED | SATIN

16

15

IMBALLI - PACKING: statuario, calacatta, calacatta gold, grey marble

mm	inch		spessore thickness	pezzi/sc pcs/box	m ² /sc sqm/box	kg/sc kgs/box	sc/pl box/pal	m ² /pl sqm/pal	kg/pl kgs/pal
60x119,5	24"x48"	rettificato satin	9,5	2	1,43	32,30	30	43,02	969,00
60x119,5	24"x48"	rettificato polished	9,5	2	1,43	31,90	30	43,02	957,00
60x60	24"x24"	rettificato satin	9,5	3	1,08	21,80	40	43,20	872,00
60x60	24"x24"	rettificato polished	9,5	3	1,08	23,10	40	43,20	924,00
80x80	32"x32"	rettificato satin	9,5	2	1,28	26,20	50	64,00	1310,00
80x80	32"x32"	rettificato polished	9,5	2	1,28	26,20	50	64,00	1310,00
30x60	12"x24"	rettificato satin	9,5	6	1,08	21,50	48	51,84	1032,00
30x60	12"x24"	rettificato polished	9,5	6	1,08	22,50	48	51,84	1080,00
15x60	6"x24"	rettificato satin	9,5	12	1,08	21,16	48	51,84	1016,00
15x60	6"x24"	rettificato polished	9,5	12	1,08	22,40	48	51,84	1075,00
7,4x30	3"x12"	rettificato satin	9,5	40	0,89	19,20	60	53,28	1152,00
7,4x30	12"x12"	rettificato polished	9,5	40	0,89	19,20	60	53,28	1152,00
30x30	12"x12"	mosaico satin polished	-	11	0,99	18,50	36	35,64	666,00
30x34	12"x13"	hexagon satin polished	-	6	-	12,54	-	-	-
7x60	3"x24"	battiscopa smaltato rettificato satin polished	-	12	-	10,92	-	-	-

60x120 24"x48"	80x80 32"x32"	60x60 24"x24"	30x60 12"x24"	15x60 6"x24"	7.4x30 3"x12"	30x30 12"x12"	30x34 12"x13"								
RETTIFICATO POLISHED SATIN	RETTIFICATO POLISHED SATIN	RETTIFICATO POLISHED SATIN	RETTIFICATO POLISHED SATIN	RETTIFICATO POLISHED SATIN	RETTIFICATO POLISHED SATIN	MOSAICO POLISHED SATIN	HEXAGON POLISHED SATIN								
86	69	84	67	73	58	70	53	85	68	84	67	140	115	42	36

Disponibile nei colori: **nero marquina, reverse**. Questi colori sono combinabili solo ed esclusivamente tra loro. Questi colori non sono combinabili con: statuario, calacatta, calacatta gold, grey marble. Available in the following colours; nero marquina, reverse. All the above colours can be used together. These colours cannot be used with statuario, calacatta, calacatta gold, grey marble.

SPECIAL ITEMS



7x60
3"x24"
BATTISCOPA SMALTATO RETT.
POLISHED | SATIN

16

15












IMBALLI - PACKING: nero marquina, reverse

mm	inch		spessore thickness	pezzi/sc pcs/box	m ² /sc sqm/box	kg/sc kgs/box	sc/pl box/pal	m ² /pl sqm/pal	kg/pl kgs/pal
60x120	24"x48"	rettificato satin	10	2	1,44	32,30	30	43,20	969,00
60x120	24"x48"	rettificato polished	10	2	1,44	32,30	30	43,20	969,00
60x60	24"x24"	rettificato satin	10	3	1,08	21,80	40	43,20	872,00
60x60	24"x24"	rettificato polished	10	3	1,08	23,10	40	43,20	924,00
80x80	32"x32"	rettificato satin	10	2	1,28	26,20	40	51,20	1048,00
80x80	32"x32"	rettificato polished	10	2	1,28	26,20	40	51,20	1048,00
30x60	12"x24"	rettificato satin	10	6	1,08	21,50	40	43,20	860,00
30x60	12"x24"	rettificato polished	10	6	1,08	22,50	40	43,20	900,00
15x60	6"x24"	rettificato satin	10	12	1,08	21,16	48	51,84	1016,00
15x60	6"x24"	rettificato polished	10	12	1,08	22,40	48	51,84	1075,00
7,4x30	3"x12"	rettificato satin	10	40	0,89	19,20	60	53,28	1152,00
7,4x30	3"x12"	rettificato polished	10	40	0,89	19,20	60	53,28	1152,00
30x30	12"x12"	mosaico satin	-	11	0,99	18,50	36	35,64	666,00
30x30	12"x12"	mosaico polished	-	11	0,99	21,45	36	35,64	772,00
30x34	12"x13"	hexagon satin polished	-	6	-	12,52	-	-	-
7x60	3"x24"	battiscopa smaltato rettificato satin polished	-	12	-	10,92	-	-	-

FUGHE - JOINT - JOINT - FUGE

per materiale **rettificato** prevedere una fuga di almeno 2 mm sul monoformato e necessariamente 3 mm sul multiformato
 for **rectified** material, we recommend a 2 mm grout at least when using one size only and a 3 mm grout for multisizes laying solution
 pour le matériel **rectifié** prévoir un minimum de 2mm de joint et 3mm pour la pose multiformat
 fuer **retifiziertes** material-monoverlegung wollen sie bitte eine fugen von 2 mm vorsehen – fuer modulverlegung eine fugen von 3 mm

CARATTERISTICHE TECNICHE - TECHNICAL FEATURES

	standards	characteristics or properties	declared values
	ISO 10545-3	assorbimento d'acqua water absorption	< 0.5%
	ISO 10545-4	resistenza alla flessione (R) breaking strength	35 N/mm ²
	ISO 10545-13	resistenza agli acidi resistance to acid	GLA
	ISO 10545-12	resistenza al gelo frost resistance	resiste frost proof
	ISO 10545-14	resistenza alle macchie stain resistance	4
	ISO 10545-2	ortogonalità orthogonality	± 0.6%
	ISO 10545-2	planarità surface flatness	± 0.5%
	ISO 10545-2	spessore (statuario - calacatta - calacatta gold - grey marble) thickness	9.5 mm
	ISO 10545-2	spessore (nero marquinia - reverse) thickness	10 mm
	DIN 51097 DCOF BOT3000	coefficiente d'attrito (scivolosità) static coefficient of friction	A+B > 0.42
		variazioni cromatiche color shade	V2 variazione leggera V2 slight variation

UNICOMSTARKER MUSE 2.0 COLLECTION
IS A UNICOMSTARKER'S PROJECT

CONTACTS

UNICOM SRL

via flumendosa 7
41042 fiorano modenese
modena italy
T +39 (0)536 926011
F italy +39 (0)536 926038
F world +39 (0)536 926033
F europe +39 (0)536 926023
unicomstarker.com

UNICOMSTARKER SHOWROOM

via flumendosa 7
41042 fiorano modenese
modena italy
T +39 (0)536 926011



Quanto contenuto nel catalogo è indicativo e non esaustivo riguardo a grafiche, decori, colori, imballi e dimensioni.

The content of this catalogue is only indicative and not exhaustive in respect of graphics, decorations, colours, packaging and sizes

Le contenu de notre catalogue concernant les decors, coloris, graphiques, emballage et dimensions est indicatif.

Was im Katalog enthalten ist, ist ein Hinweis und nicht erschöpfend in Bezug auf Grafiken, Dekorationen, Farben, Verpackung und Abmessungen.



think
outside
the box

